



FS
FLIGHT
CONTROL
www.fs-flightcontrol.com

FS-FlightControl Manual

Instructor Operator Station
for Microsoft Flight Simulator, Prepar3D and X-Plane



FS-FlightControl · AB-Tools GmbH
E-mail: info@fs-flightcontrol.com · Internet: www.fs-flightcontrol.com
Marsstraße 78, 80335 München, Germany · Phone: +49 89 38898588 · Fax: +49 89 38898589
Bank Account: Grenke Bank AG · IBAN: DE 49 20130400 0060270139 · BIC: GREBDEH1XXX
Register: Amtsgericht München, HRB 202859 · Finance Office: München für Körperschaften · VAT ID DE273587389

Table of Contents


COMMAND LINE PARAMETERS	1
<i>Custom Data Directory</i>	1

COMMAND LINE PARAMETERS

You can use these command line parameters to enable or also to disable certain functions of FS-FlightControl.

Currently there is only one command line parameter available:


- `/dataDirectory={path}`¹⁾: Allows specifying a custom data directory. Please carefully read the additional information about this parameter **below** first.
- `/doNotSaveSettings`²⁾: If used settings can be changed by the user, but changes will be discarded on program close.
- `/suppressFontScalingWarning`: If font scaling is enabled on Windows 7 or older an incompatibility warning is displayed on every program start. To suppress this warning at own risk you can use this command line parameter.

 Note: All command line parameters are case insensitive.

Custom Data Directory

The command line parameter `/dataDirectory={path}` allows specifying a custom data directory defined with the placeholder `{path}` (surrounding quotes may be used if path contains spaces).

If such a custom data directory is defined FS-FlightControl no longer enforces single instance use and thus allows to start multiple FS-FlightControl instances on the same computer. This is only very rarely needed, but can make sense if a parallel connection to multiple simulators is needed from one instructor seat.

 Note: It is very important to note though that every instance of FS-FlightControl requires a separate FS-FlightControl license!

For that reason the custom data directory defined is part of the hardware key during activation.

As a result you cannot just set or change such a custom data directory, but before every change or setting it the first time you are required to first deactivate your license in **Info** module. Not doing so will invalidate your license with the need to contact us for a manually license reset.

¹⁾, ²⁾ This command line parameter only works with the commercial license of FS-FlightControl.

FS-FlightControl Manual:
<https://www.fs-flightcontrol.com/en/manual/>

PDF Generated on:
2026-04-22 13:46

